



We serve the solution

Continue →

Buffet meal solutions for group catering

www.temp-rite.eu



We serve the solution

temp-rite International is a partner you can rely on to deliver innovative and sustainable solutions in the field of meal distribution.



Continue →

temp-rite is double ISO-certified!

Quality management:

Hospitals, old-people's homes and care-providing institutions attach great importance to the quality of the services and products their suppliers deliver. temp-rite's Quality Management System meets all the requirements set out in DIN EN ISO 9001.

Ecological awareness:

temp-rite Germany also has DIN EN ISO 14001 environmental certification. This underlines just how seriously we take protecting the environment, and achieving a sustainable balance between commercial and ecological considerations.







temp-rite



Touchscreen Pro

- = Intuitive interactive controls
- = Graphical representation of all functions and operating parameters
- = Smart apps to control all cycles and applications
- = Automatic HACCP documentation
- Data transfers on USB sticks, or via WiFi or LAN



temp-rite



Food-core temperature sensor (option)

Dependable temperature checks and documentation

temp-rite





Sneeze guard (option)

 Hygienic food presentation with heat lamps, and worktop illumina tion with LEDs

temp-rite





Convection heating

 Precisely controllable heating of food compart ment for optimum meal regeneration

temp-rite





Refrigeration (option)

Static cooling of one or both food compartments for Cook-Chill or Cook-Freeze applications

temp-rite





Fold-away side shelf (option)

= Additional storage surface for dishes, trays etc.



temp-rite



Compartment for technical components

= Directly accessible for easy and cost-efficient maintenance

temp-rite






Tray rail (option)

= Convenient dispensing of meals for your diners

Product video

temp-rite



Highlights that only Temp-Classic Pro offers:

temp-rite









Touchscreen Pro

In the development phase, temp-rite focused on delivering solutions that were safe and, in terms of operating and cleaning routines, ergonomically well conceived. The new Touchscreen Pro control interface, for example, is intuitive and easy to use. What's more, it provides all the HACCP-compliant monitoring and documentation features that are nowadays expected.

Highlights that only Temp-Classic Pro offers:



<

Insulated shuttle trolley

All meals can be prepared in a central kitchen and transported to the Temp-Classic Pro at the desired location in shuttle trolleys.

An economic, safe and hygienic means of transport.

temp-rite





Removable transfer modules

Removable slide-in frames of varying capacity for GN containers or wire grids.

Simple, staff-friendly meal preparation / easy, hygienic cleaning of food compartments.

Highlights that only Temp-Classic Pro offers:





Separate heated worktop sections made of heat-resistant safety glass.

Efficient, easy-to-regulate heat maintenance during meal service.

temp-rite



High flexibility

Four standard versions plus a wide variety of add-on options.

Temp-Classic Pro can be adapted exactly to your requirements.

The Temp-Classic Pro by temp-rite sets new standards in buffet meal service



Functional

- transfer modules of varying capacity
- partially heatable worktop
- refrigeration option for one or both meal compartments

Easy to work with

- ideal working height
- programmable work cycles
- LED illumination of the worktop (optional)

Safe

- worktop made of heat-resistant safety glass
- door seals prevent loss of energy, and can be replaced without tools
- removable transfer modules facilitate hygienic cleaning of the cart interior

Ergonomically optimized

- optional tray rail and fold-away side shelf
- easy to manoeuvre
- makes life easy for serving staff

Flexible

- four standard versions/sizes
- individually configurable
- wide range of add-on options

Intelligent


- intuitive touchscreen control interface with graphical display
- automatic HACCP documentation;
 data transfer on USB sticks, or via WiFi or LAN
- smart apps for ease of operation

Technical data





Temp-Classic Pro				
Model:	Temp-Classic Pro XS	Temp-Classic Pro S	Temp-Classic Pro M	Temp-Classic Pro L
Meal compartments:	1 x heated 1 x neutral	1 x heated	1 x heated 1 x neutral	2 x heated
Levels per compartment:	3 or 4 / 2	7 or 8	7 or 8	7 or 8
Net weight:	approx. 160 kg	approx. 160 kg	approx. 194 kg	approx. 220 kg
Approx. power load:	3.1 kW-230 V 8.1 kW-400 V	3.1 kW-230 V 8.1 kW-400 V	3.1 kW-230 V 8.1 kW-400 V	2x 3.1 kW-230 V 2x 8.1 kW-400 V
Approx. dimensions in mm:	846 x 728	846 x 728	1,256 x 728	1,506 x 728
Approx. height in mm:	1,044	1,044	1,044	1,044
Approx. height including gantry in mm:	1,391	1,391	1,391	1,391

Refrigerant:	R134A, GWP=1,300	
Noise emission:	55 dBA	
Waste heat:	approx. 1,500 W	
Protection class:	IPX4	
Climate class according to ISO23953-2:	5	









temp-rite International reserves the right to make alterations without notice. Illustrations may show optional features or equipment. Date: 07-2024

an Ali Group Company



Germany & Luxembourg

temp-rite International GmbH Theodor-Barth-Str. 29 D-28307 Bremen Phone: +49 (0) 4 21-4 86 92-0 E-Mail: info@temp-rite.de

The Netherlands

temp-rite International Holding B.V. Weidehek 64 NL-4842 AS Breda Phone: +31 (0) 76-5 42 43 43 F-Mail: info@temp-rite nl

Belgium

temp-rite International Gemeenteplaats 31 BE-2960 Brecht Phone: +32 (0) 3-3 15 94 65 E-Mail: info@temp-rite.be

Hungary

temp-rite International Kft. Krisztina Krt. 83-85 H-1016 Budapest Phone: +36 (0) 1 212-70 43 E-Mail: sk@temprite.t-online.hu

Contact